

List of References, 2012 Annual Report

[1] Stratton IM, Adler AI, Neil HA, Matthews DR, Manley SE, Cull CA, Hadden D, Turner RC, Holman RR Association of glycaemia with macrovascular and microvascular complications of Type 2 diabetes: prospective observational study. . British Medical Journal 2000;321:405-412

[2] Deakin T, McShane CE, Cade JE, Williams RD. Group based training for self-management strategies in people with type 2 diabetes mellitus. . Cochrane Database Systematic Review 2005 Apr 18;(2):CD003417.

[3] Sign Guidance, 57; Cardiac Rehabilitation, 2002.
www.sign.ac.uk/guidelines/fulltext/57/index

[4] The Lancet [http://www.thelancet.com/journals/lancet/article/PIIS0140-6736\(12\)60240-2/fulltext](http://www.thelancet.com/journals/lancet/article/PIIS0140-6736(12)60240-2/fulltext) The Scottish School of Primary Care; Mutimorbidity in Scotland.

[5] Director of PH Annual Report 2009/10

[6] KingsFund
http://www.kingsfund.org.uk/topics/longterm_conditions/index.html

[7] Director of Public Health Annual Report 2009/2010

[8] Kings Fund, Long term conditions and mental health, 2012

[9] Whooley *et al* JAMA 2008, 300 (20); 2379-2388 Depressive symptoms, Health Behaviours and Risk of Cardiovascular Events in Patients with CHD

[10] Katon WJ (2003). 'Clinical and health services relationships between major depression, depressive symptoms, and general medical illness'. *Biological Psychiatry*, vol 54, no 3, pp 216-26.

[11] Junger J, Schellberg D, Muller-Tasch T, Raupp G, Zugck C, Haunstetter A, Zipfela S, Herzog W, Haass M (2005). 'Depression increasingly predicts mortality in

the course of congestive heart failure'. *European Journal of Heart Failure*, vol 7, no 2, pp 261-7.

[12] Katon JW, Von Korff M, Lin EHB, Simon G, Ludman E, Russo J, Ciechanowski P, Walker E, Bush T (2004). 'The Pathways Study - A randomised trial of collaborative care in patients with diabetes and depression'. *Archives of General Psychiatry*, vol 61, no 10, pp 1042-9.

[13] Das-Munshi J, Stewart R, Ismail K, Bebbington PE, Jenkins R, Prince MJ (2007). 'Diabetes, common mental disorders, and disability: Findings from the UK National Psychiatric Morbidity Survey'. *Psychosomatic Medicine*, vol 69, no 6, pp 543-50.

[14] Department of Health, Long Term Conditions.dh.gov.uk

[15] Warwickshire Adult Social Care & Health, Supporting Independence (prevention) Strategy, 2011 - 2014 <http://www.swft.nhs.uk/our-services/virtual-wards.aspx> (virtual Ward ref)

[16] The Scottish Government and Long term Conditions AllianceScotland, The Self Management Strategy for Long Term Conditions inScotland, 2008

[17] Vassilev et al, Social Networks, Social Capital and chronic illness self management: a realist review, *Chronic Illness*, 2011

[18] Joint Director of public health (2011) Reaching Higher: Healthy Lives, Healthy People, Healthy Warwickshire'

[19] Lord Darzi. High Quality Care for All: NHS Next Stage Review, 2008

[20] Marmot M, Allen J, Goldblatt P et al. Fair society, healthy lives: the Marmot review - Strategic review of health inequalities post - 2010. University College London, 2010

[21] HM Government (2010) Healthy Lives, Health People: our strategy for public health in England.London: TSO.

[22] DH (2010). Equity and Excellence: Liberating the NHS White Paper. London: TSO.

[23] DH (2010). The NHS Quality, Innovation, Productivity and Prevention Challenge: an introduction for Clinicians. London: TSO

[24] Moyer A, Finney JW, Swearingen CE, Vergun P. Centre for Health Care Evaluation, 2002. Brief interventions for alcohol problems: a meta-analytic review of controlled investigations in treatment-seeking and non-treatment-seeking populations

[25] NHS Yorkshire and the Humber. Delivering Healthy Ambitions Better for Less: Making Every Contact Count <http://www.healthyambitions.co.uk/Uploads/BetterForLess/08%20BETTER%20FOR%20LESS%20every%20contact%20counts.pdf>